




Low maintenance, high performance

Legrand's range of robust panel boards offers some unique innovations, including our latest ASTA approved, fully shrouded busbars that are totally encapsulated and require minimal maintenance.



▼ FEATURES

- Innovative busbars provide generous cabling space within compact enclosures
- 50 kA unconditional rating pure copper busbar allows sufficient time for large breakers to work correctly with no thermal stresses

panel boards

up to 800 A incomer, triple pole
outgoing MCCB up to 125 A



6025 03

Dimensions (p. 351)

Conform to BS EN 60439-1
IP 40 - IK 08 (with door)
RAL 7035
Busbar rating : 400 A/800 A
125 A frame size outgoing - 25 mm centres
Equipped with solid doors
The enclosures are complete with kits to fit 3P MCCBs or trip-free switch incomers
Kits for 4P incomers are also available

Pack	Cat. Nos.	250 A MCCB incomer/125 A outgoing
		400 A busbar 125 A frame size outgoing - 25 mm centres
		Solid door
		No. of ways
1	6025 01	6
1	6025 02	12
1	6025 03	16

Pack	Cat. Nos.	400 A MCCB incomer/125 A outgoing
		400 A busbar 125 A frame size outgoing - 25 mm centres
		Solid door
		No. of ways
1	6025 11	6
1	6025 12	12
1	6025 13	16

Pack	Cat. Nos.	630 A/800 A MCCB incomer/125 A outgoing
		800 A busbar 125 A frame size outgoing - 25 mm centres
		Solid door
		No. of ways
1	6025 21 ⁽¹⁾	6
1	6025 22 ⁽¹⁾	12
1	6025 23 ⁽¹⁾	16

panel boards

up to 800 A incomer, triple pole
outgoing MCCB up to 250 A



6025 31

Dimensions (p. 351)

Conform to BS EN 60439-1
IP 40 - IK 08 (with door)
RAL 7035
Busbar rating : 400 A/800 A
250 ER frame size outgoing - 30 mm centres
Equipped with solid doors
The enclosures are complete with kits to fit 3P MCCBs or trip-free switch incomers
Kits for 4P incomers are also available

Pack	Cat. Nos.	400 A MCCB incomer/250 A outgoing
		400 A busbar 250 ER frame size outgoing - 30 mm centres
		Solid door
		No. of ways
1	6025 31 ⁽¹⁾	6
1	6025 32 ⁽¹⁾	12
1	6025 33 ⁽¹⁾	16


Pack	Cat. Nos.	630 A/800 A MCCB incomer/250 A outgoing
		800 A busbar 250 ER frame size outgoing - 30 mm centres
		Solid door
		No. of ways
1	6025 41 ⁽¹⁾	6
1	6025 42 ⁽¹⁾	12
1	6025 43 ⁽¹⁾	16

	Rating	Incoming MCCBs	Outgoing MCCBs
			Page
	125 A		328
	250 A	330	329
	400 A	331	
	630 A	331	
	800 A	332	

(1) For these items please contact us on 0845 605 4333

(1) For these items please contact us on 0845 605 4333

panel board accessories



6026 25



6026 81



6025 02 with glass door 6026 51

Pack	Cat. Nos.	Incomer kit
1	6026 02	Kit for incomer 250 A 4P
1	6026 06	Kit for incomer 400 A 4P, 25 mm centres

		Accessories
1	6071 80	Handle key lock
1	6071 81	Handle for padlock
1	6026 95	Terminal shield for incomers
1	6071 82	Blank MCCB module plate

		Cable boxes – height 400 mm
1	6026 80	Cable box top/bottom for width 700 mm
1	6026 81	Cable box top/bottom for width 950 mm

		Non-equipped meter boxes
1	6026 25	21 module accessory box - 700 mm
1	6026 28	21 module accessory box - 950 mm

		Glass doors
1	6026 50	Glass door - 1 250 x 700 mm
1	6026 51	Glass door - 1 450 x 700 mm
1	6026 52	Glass door - 1 650 x 700 mm
1	6026 53	Glass door - 1 850 x 700 mm
1	6026 54	Glass door - 1 250 x 950 mm
1	6026 55	Glass door - 1 450 x 950 mm
1	6026 56	Glass door - 1 650 x 950 mm
1	6026 57	Glass door - 1 850 x 950 mm

For metering devices see p. 377-378



Find us on Amtech...

AMTECH Office is an advanced piece of electrical software that helps you specify your power distribution requirements



AMTECH Office includes Legrand's power and distribution solutions

ALL YOU NEED IN ONE BOX



- ProDesign - carries out full and accurate calculations in accordance with BS 7671
- Protect - helps ensure that breakers work when they should and do not nuisance trip
- FastTest - produces professional certification quickly and easily
- SingleCable - sizes any cable - FAST