

14.4 V Professional Cordless

## 14.4 V Cordless system



- Provides maximum manoeuvrability and fast work progress for impact drilling, screwdriving, sawing, planing, grinding and much more
- ▶ With powerful Bosch Battery Pack that fits all 14.4V system tools
- ► The intelligent Bosch Charger charges all battery packs in the Compact Power class in approximately 30 minutes

14.4 V Professional Cordless

## 14.4 V Professional cordless Combi

**GSB 14.4 VE-2 Professional** 



The GSB 14.4 VE-2 Professional has been designed for speed; its new high performance with parallel winding delivers MORE POWER and its air-cooled, optimised, 5 metal planetary gears deliver MORE SPEED. This tools is **TOUGH**, drop from scaffold and it will bounce back - it's got stacked construction and Dura-shield housing.

		₩ LOOK
GSB 14.4 VE-2	GSB 14.4 VE-2	GSB 14.4 VE-2
$2 \times 2.6$ Ah NiMH	$2 \times 3.0 \text{ Ah NiMH}$	$3 \times 2.6$ Ah NiMH
30 mins	30 mins	30 mins
470/1920 rpm	470/1920 rpm	470/1920 rpm
29000 bpm	29000 bpm	29000 bpm
60/28 Nm	60/28 Nm	60/28 Nm
25+ drilling	25+ drilling	20+ drilling
10mm	10mm	10mm
40/13/14mm	40/13/14mm	40/13/14mm
1.5-13mm	1.5-13mm	1.5-13mm
£212.00	£222.00	£239.00
£243.80	£255.30	£274.85
GSB144VE2	GSB144VE2T	GSB144VE23
	2×2.6 Ah NiMH 30 mins 470/1920 rpm 29000 bpm 60/28 Nm 25+ drilling 10mm 40/13/14mm 1.5-13mm £212.00	2×2.6 Ah NiMH     2×3.0 Ah NiMH       30 mins     30 mins       470/1920 rpm     470/1920 rpm       29000 bpm     29000 bpm       60/28 Nm     60/28 Nm       25+ drilling     25+ drilling       10mm     10mm       40/13/14mm     40/13/14mm       1.5-13mm     1.5-13mm       £212.00     £222.00       £243.80     £255.30



World's first air-cooled gear box, optimised to ensure maximum cooling.



New metal 5 planet gearbox varies the gear ratio depending on the application (screwdriving or impact drilling.)



The increased copper content of the motor windings enlarge the surface contact area to allow greater heat dissipation.



#### 14.4 V Professional Cordless

## 14.4 V drill/drivers

Specification	GSR 14.4 VE-2	GSR 14.4 VE-2	GSR 14.4 VE-2
Batteries (Type)	2 x 2.6 Ah NiMH	2 x 3.0 Ah NiMH	3 x 2.6 Ah NiMH
Charging Time	30 mins	30 mins	30 mins
No load Speed (rpm)	0-450/0-1720	0-450/0-0-1720	0-450/0-0-1720
Torque Hard/Soft, max. (Nm)	72/30	72/30	72/30
Torque Setting Range (Nm)	25+ drilling	25+ drilling	25+ drilling
Screw Diameter max.	8mm	8mm	8mm
Drilling Diameter max. Wood/Steel/	45/13mm	45/13mm	45/13mm
Keyless Chuck (mm)	1.5-13	1.5-13	1.5-13
SSP (excluding Vat)	£189.00	£198.00	£222.00
SSP (including Vat)	£217.35	£227.70	£255.30
Order code	GSR144VE2	GSR144VE2T	GSR144VE23











## 14.4V mid-range drill/drivers

Specification	GSR 14.4 V	GSR 14.4 V	GSR 14.4 V	GSR 14.4 V
Batteries (Type)	$2 \times 2.6$ Ah NiMH	$3 \times 2.6$ Ah NiMH	$2 \times 2.0$ Ah NiCad	$3 \times 2.0$ Ah NiCad
Charging Time	1 hr	1 hr	1 hr	1 hr
No load Speed (rpm)	0-400/0-1400	0-400/0-1400	0-400/0-1400	0-400/0-1400
Torque Hard/Soft (Nm)	42/22	42/22	42/22	42/22
Torque Setting (Nm)	20+ drilling	20+ drilling	20+ drilling	20+ drilling
Screw Diameter max.	8mm	8mm	8mm	8mm
Drilling diam. Wood/Steel	35/13mm	35/13mm	35/13mm	35/13mm
Keyless Chuck	1.5-13mm	1.5-13mm	1.5-13mm	1.5-13mm
SSP (excluding Vat)	£172.00	£193.00	£157.00	£178.00
SSP (including Vat)	£197.80	£221.95	£180.55	£204.70
Order code	GSR144VM	GSR144VM3	GSR144VC	GSR144VC3















### **14.4V** compact value drill/driver

Specification	GSR 14.4-2	GSR 14.4 -2	GSR 14.4 -2(N)
Batteries (Type)	$2 \times 1.5$ Ah NiCad	$3 \times 1.5$ Ah NiCad	Body Only
Charging Time	1 hr	1 hr	Body Only
No load Speed (rpm)	0-400/0-1400	0-400/0-1400	0-400/0-1400
Torque Hard/Soft, max. (Nm)	30/11	30/11	30/11
Torque Setting Range (Nm)	25+ drilling	25+ drilling	25+ drilling
Screw Diameter max.	8mm	8mm	8mm
Max drilling diam. Wood/Steel	26/12mm	26/12mm	26/12mm
Keyless Chuck	1.5-10mm	1.5-10mm	1.5-10mm
SSP (excluding Vat)	£100.00	£121.00	£69.00
SSP (including Vat)	£115.00	£139.15	£81.08
Order code	GSR1442	GSR14423	GSR1442N



# **14.4 V** impact driver/ impact wrench

Specification	GDR 14.4 V	GDS 14.4 V
Rated Voltage/Capacity	14.4v/2.6 NiMH	14.4v/2.6 NiMH
Operating time	-	_
Tightening Torque	135 Nm	200 Nm
No Load Speed	2800 min-1	2800 min-1
Rated Impact Rate	3200 min-1	3200 min-1
Screw Diameter	M6 - M16	M6 - M16
Toolholder	1/4"	1/2" square drive
Weight with Battery	1.85kg	1.85kg
Charger	30-minute	30-minute
SSP (ex Vat)	£212.00	£222.00
SSP (inc Vat)	£243.80	£255.30



#### **14.4V** jigsaw, planer, grinder and flashlight



Specification	GST 14.4 V	GHO 14.4V	GWS 14.4V	GLI 14.4V
Rated Voltage/Capacity	14.4V/2.6 NiMH	14.4V/2.6 NiMH	14.4V/2.6 NiMH	-
Operating time	-	-	-	200 min
Weight	2.9 kg	2.9 kg	2.1 kg	-
Max. Speed	-	13000 rpm	-	-
No load speed	-	-	12500 rev/min	-
Planing Width	-	82 mm	-	-
Cutting Performance: Wood/Steel	65/10 mm	_	_	-
Angular Cuts	0-45°	-	-	-
Adjustable Cutting Thickness	-	0-1.6 mm	-	-
Rebating Depth	-	0-8 mm	-	-
SSP (ex Vat)	£260.00	£244.00	£274.00	£19.00
SSP (inc Vat)	£299.00	£280.60	£315.10	£21.85

