

# 40 CDI RANGE

FLUSH-MOUNTING DISTRIBUTION BOARDS AND ENCLOSURES

## SELECTION GUIDE









### 40 CDK RANGE - FLUSH-MOUNTING PROTECTED ENCLOSURES AND DISTRIBUTION BOARDS

#### ENCLOSURES

Protection rating: IP 40  
 Colour: RAL 9016 white  
 Door: smoked transparent  
 blank



COMPLEMENTARY ITEMS	No. modules	2	4	6	8	12	18	24 (12x2)
	Smoked Door	GW 40 601	GW 40 602	GW 40 603	GW 40 604	GW 40 605	GW 40 608	GW 40 606
Blank Door		GW 40 882	GW 40 883	GW 40 884	GW 40 885	GW 40 888	GW 40 886	
<b>INSTALLATION AND JOINTING</b>								
 Anti-deformation brackets for walling enclosure base boxes	-	-	-	-	-	-	-	
 Combined coupling component	-	-	-	-	GW 40 425	GW 40 425	GW 40 425	
 Kit of 4 long screws with spacers	-	-	GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645	
<b>WIRING</b>								
 Insulated neutral and earth terminal blocks	-	-	-	GW 40 401	GW 40 402	GW 40 404	GW 40 402	
 Internal horizontal dividers	-	-	-	-	-	-	GW 40 487	
 1-module high blank cover panels for CDK boards	-	-	-	-	-	-	2x GW 40 495	
<b>MISCELLANEOUS</b>								
 Metal cylinder security lock	GW 40 422	GW 40 422	GW 40 422	GW 40 422	GW 40 422	GW 40 422	GW 40 422	
 Triangular key	-	-	-	-	-	-	-	

ibemo Kazakhstan - 09302 Republic of Kazakhstan, West Kazakhstan Oblast, Aksai, Pramzone, BKKS office complex  
 Phone: +7 71133 93077 ; Fax: +7 71133 93074 ; E-Mail: info-kz@ibemo.de

# 40 CDI RANGE

FLUSH-MOUNTING DISTRIBUTION BOARDS AND ENCLOSURES



## SELECTION GUIDE

### 40 CD RANGE - FLUSH-MOUNTING PROTECTED ENCLOSURES

DISTRIBUTION BOARDS			ARRANGED FOR TERMINAL BLOCK HOUSING				EQUIPPED WITH TERMINAL BLOCKS		
<b>Protection class:</b> IP 40 <b>Colour:</b> RAL 9016 white <b>Door:</b> smoked transparent			<b>Protection rating:</b> IP 40 <b>Colour:</b> RAL 9016 white <b>Door:</b> Blank				<b>Protection rating:</b> IP 40 <b>Colour:</b> RAL 9016 White <b>Door:</b> Blank		
36 (18x2)	54 (18x3)	72 (18x4)	8	12+1	24+2 (12x2)	36+2 (18x2)	12+1	24+2 (12x2)	36+2 (18x2)
GW 40 609	GW 40 610	GW 40 611							
GW 40 889	GW 40 890	GW 40 891	GW 40 655	GW 40 657	GW 40 659	GW 40 661	GW 40656	GW 40 658	GW 40 660
GW 40 479	GW 40 479	2x GW 40 479	-	-	-	-	-	-	-
GW 40 425	GW 40 425	GW 40 425	-	-	-	-	-	-	-
GW 48 645	GW 48 645	2x GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645
2x GW 40 404	2x GW 40 404	2x GW 40 404	GW 40 401	GW 40 402	2x GW 40 401	2x GW 40 402	supplied	supplied	supplied
GW 40 488	2x GW 40 488	3x GW 40 488	-	-	-	-	-	-	-
2x GW 40 496	3x GW 40 496	4x GW 40 496	-	-	-	-	-	-	-
GW 40 422	2x GW 40 422	2x GW 40 422	-	-	-	-	-	-	-
-	-	-	-	GW 40 421	GW 40 421	GW 40 421	GW 40 421	GW 40 421	GW 40 421

ibemo Kazakhstan - 09302 Republic of Kazakhstan, West Kazakhstan Oblast, Aksai, Pramzone, BKKS office complex  
 Phone: +7 71133 93077 ; Fax: +7 71133 93074 ; E-Mail: info-kz@ibemo.de

# 40 CDI RANGE

FLUSH-MOUNTING DISTRIBUTION BOARDS AND ENCLOSURES

## SELECTION GUIDE



**GEWISS**

### 40 CD RANGE - FLUSH-MOUNTING DECORATIVE PROTECTED ENCLOSURES









#### ARRANGED FOR TERMINAL BLOCK HOUSING

#### EQUIPPED WITH TERMINAL BLOCKS

**Protection rating:** IP 40  
**Colour:** RAL 9016 white - Toner black  
**Door:** smoked transparent  
**Frame:** White  
 Black

**Protection rating:** IP 40  
**Colour:** RAL 9016 white - Toner black  
**Door:** smoked transparent  
**Frame:** White  
 Black



COMPLEMENTARY ITEMS	No. modules	4	8	12	24 (12x2)	36 (12x3)	12	24 (12x2)	36 (12x3)
	White frame	GW 40 237	GW 40 225	GW 40 229	GW 40 233	GW 40 239	GW 40 227	GW 40 231	GW 40 241
	Black frame	GW 40 238	GW 40 226	GW 40 230	GW 40 234	GW 40 240	GW 40 228	GW 40 232	GW 40 242
<b>INSTALLATION AND JOINTING</b>									
 Kit for sealing fronts	-	-	-	-	-	-	-	-	-
 Coupling component	-	-	-	-	-	-	-	-	-
 Kit of 4 long screws with spacers	-	GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645	GW 48 645
<b>WIRING</b>									
 Insulated neutral and earth terminal blocks	-	GW 40 401	GW 40 402	2x GW 40 401	2x GW 40 402	supplied	supplied	supplied	
 Internal horizontal dividers	-	-	-	-	-	-	-	-	-
 Internal vertical separators	-	-	-	-	-	-	-	-	-
<b>MISCELLANEOUS</b>									
 Security lock	-	-	-	-	-	-	-	-	-
 Metal cylinder security lock for 48PTC	-	-	-	-	-	-	-	-	-

ibemo Kazakhstan - 09302 Republic of Kazakhstan, West Kazakhstan Oblast, Aksai, Pramzone, BKKS office complex  
 Phone: +7 71133 93077 ; Fax: +7 71133 93074 ; E-Mail: info-kz@ibemo.de


# 40 CDI RANGE

FLUSH-MOUNTING DISTRIBUTION BOARDS AND ENCLOSURES



**GEWISS**

## SELECTION GUIDE

40 CD RANGE CHORUS ACTIVO ENCLOSURES		40 CD RANGE ENCLOSURE FOR BRICKWORK WALL				40 CD RANGE - ENCLOSURES FOR PLASTERBOARD WALLS				48 PTC RANGE WATERTIGHT MODULAR ENCLOSURES		
DOOR WITH AUTOMATIC OPENING		BLANK DOOR				BLANK DOOR				MODULAR ENCLOSURES		COMBINED BOARDS
<b>Protection rating:</b> IP 40 <b>Colour:</b> Milk white, Titanium and Slate <b>Doors:</b> Smoked transparent with automatic opening		<b>Protection rating:</b> IP 40 <b>Colour:</b> RAL 9016 white <b>Door:</b> blank <b>Frame:</b> metal				<b>Protection rating:</b> IP 40 <b>Colour:</b> RAL 9016 white <b>Door:</b> blank <b>Frame:</b> metal				<b>Protection rating:</b> IP 55 <b>Colour:</b> RAL 7035 grey <b>Door:</b> smoked transparent		<b>Protection rating:</b> IP 55 <b>Colour:</b> RAL 7035 grey <b>Door:</b> smoked transparent
												
12	24	12+2	24+4 (12x2)	36+6 (12x3)	48+8 (12x4)	12+2	24+4 (12x2)	36+6 (12x3)	48+8 (12x4)	6	12	4
See technical-commercial tables for code detail		GW 40 151	GW 40 152	GW 40 153	GW 40 154	GW 40 161	GW 40 162	GW 40 163	GW 40 164	GW 48 681	GW 48 682	GW 48 686
-	-	-	-	-	-	-	-	-	-	GW 48 643	GW 48 643	GW 48 643
-	-	-	-	-	-	-	-	-	-	GW 48 026	GW 48 026	GW 48 026
GW 48 645	GW 48 645	-	-	-	-	-	-	-	-	GW 48 645	GW 48 645	GW 48 645
GW 40 402	2x GW 40 402	supplied	supplied	supplied	supplied	supplied	supplied	supplied	supplied	-	-	-
-	-	GW 40 460	GW 40 460	GW 40 460	GW 40 460	GW 40 460	GW 40 460	GW 40 460	GW 40 460	-	-	-
-	-	GW 40 456	GW 40 457	GW 40 458	GW 40 459	GW 40 456	GW 40 457	GW 40 458	GW 40 459	-	-	-
-	-	GW 40 463	GW 40 463	GW 40 463	GW 40 463	GW 40 463	GW 40 463	GW 40 463	GW 40 463	-	-	-
-	-	-	-	-	-	-	-	-	-	GW 48 644	GW 48 644	GW 48 644

ibemo Kazakhstan - 09302 Republic of Kazakhstan, West Kazakhstan Oblast, Aksai, Pramzone, BKKS office complex  
 Phone: +7 71133 93077 ; Fax: +7 71133 93074 ; E-Mail: info-kz@ibemo.de