

# Tool sets



<b>Tool sets</b>	Introduction	H.2
	Tool cases	H.4
	Crimp sets and accessories	H.7
	Assortment boxes and cases	H.13
	Inserts	H.14

# Weidmüller offers a comprehensive range of accessories

## Crimping sets

Workshops and companies prefer well-organised tool sets. This reduces searching and preparation times and thus saves hard cash. Weidmüller has recognised these important aspects and implements this in its product combinations. These product combinations stand out due to their high user benefit and functional features. Weidmüller crimping sets for cutting, stripping and crimping wire end ferrules provide you with practical works equipment for everyday use.





Tool cases

Pro Case Premium



Pro Case Insta



Assembly

Description of article	Type	Qty
Sheathing stripper for up to 25mm outer diameter	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool for up to 6 mm <sup>2</sup>	STRIPAX	1
Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup>	PZ 6 Roto	1
Assortment of wire end ferrules, 0.5 - 2.5 mm <sup>2</sup> , in DIN colour code	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V/ 100 Hz LCD	DIGI-CHECK 3.2	1
Voltage tester up to 690 V/ 100 Hz LED	COMBI CHECK 1.3	1
Toolbox, empty	Pro Case empty	1
Junction box sheathing stripper with individual core stripping unit and longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
VDE-insulated round-nose pliers with long jaws	RZ 160	1
VDE-insulated wire-stripping pliers for conductors up to 5mm diameter	AIZ 160	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Combined screwing/cutting tool	SWIFTY SET	1
Set of offset screwdrivers with ball head	SK WSD-S 1,5-10,0	1
Slotted and crosshead PH screwdriver set	SDS 2,5-5,5/PH1/2	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDIS 2,5-5,5/PH1/2	1
Bit box, 9 pieces 1/4" E6.3	Bit-Box WI DMS 3	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Continuity tester with light	TESTBOY 20	1
Interchangeable bit for slotted screws, size 0.5 x 3	WK S 0,5x3,0	1
Torque screwdriver, from 0.5-1.7 Nm	DMS MANUAL 0.5-1.7	1

Technical data

Length / Width / Height	48 / 17 / 40 cm
Weight	8500 g

Ordering data

Type	Qty	Order No.
Toolbox Pro Case Premium	1	9202460000

Assembly

Description of article	Type	Qty
Sheathing stripper for up to 25mm outer diameter	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool for up to 6 mm <sup>2</sup>	STRIPAX	1
Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup>	PZ 6 Roto	1
Assortment of wire end ferrules, 0.5 - 2.5 mm <sup>2</sup> , in DIN colour code	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V/ 100 Hz LED	COMBI CHECK 1.3	1
Measuring tape	FLEXIMET 5 M	1
Toolbox, empty	Pro Case empty	1
Junction box sheathing stripper with individual core stripping unit and longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Set of offset screwdrivers with ball head	SK WSD-S 1,5-10,0	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDIS 2,5-5,5/PH1/2	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Continuity tester with light	TESTBOY 20	1
ring spanner set	PACK HEXA 8-13 RED-L	1

Technical data

Length / Width / Height	48 / 17 / 40 cm
Weight	7680 g

Ordering data

Type	Qty	Order No.
Pro Case Insta	1	9203160000

## Pro Topcase Premium



## Assembly

Description of article	Type	Qty
Sheathing stripper for up to 25mm outer diameter	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool for up to 6 mm <sup>2</sup>	STRIPAX	1
Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup>	PZ 6 Roto	1
Assortment of wire end ferrules, 0.5 - 2.5 mm <sup>2</sup> , in DIN colour code	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V/ 100 Hz LCD	DIGI-CHECK 3.2	1
Voltage tester up to 690 V/ 100 Hz LED	COMBI CHECK 1.3	1
Junction box sheathing stripper with individual core stripping unit and longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
VDE-insulated round-nose pliers with long jaws	RZ 160	1
VDE-insulated wire-stripping pliers for conductors up to 5mm diameter	AIZ 160	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Combined screwing/cutting tool	SWIFTY SET	1
Set of offset screwdrivers with ball head	SK WSD-S 1,5-10,0	1
Slotted and crosshead PH screwdriver set	SDS 2,5-5,5/PH1/2	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDIS 2,5-5,5/PH1/2	1
Bit box, 9 pieces 1/4" E6.3	Bit-Box WI DMS 3	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Continuity tester with light	TESTBOY 20	1
Interchangeable bit for slotted screws, size 0.5 x 3	WK S 0,5x3,0	1
Torque screwdriver, from 0.5-1.7 Nm	DMS MANUAL 0.5-1.7	1
Tool case	PLASTIC CASE	1

## Technical data

Length / Width / Height	53 / 19 / 40 cm
Weight	9760 g

## Ordering data

Type	Qty	Order No.
PRO TOPCASE PREMIUM	1	9204670000

## Pro Topcase Insta



## Assembly

Description of article	Type	Qty
Sheathing stripper for up to 25mm outer diameter	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool for up to 6 mm <sup>2</sup>	STRIPAX	1
Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup>	PZ 6 Roto	1
Assortment of wire end ferrules, 0.5 - 2.5 mm <sup>2</sup> , in DIN colour code	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V/ 100 Hz LED	COMBI CHECK 1.3	1
Measuring tape	FLEXIMET 5 M	1
Junction box sheathing stripper with individual core stripping unit and longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Set of offset screwdrivers with ball head	SK WSD-S 1,5-10,0	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDIS 2,5-5,5/PH1/2	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Continuity tester with light	TESTBOY 20	1
ring spanner set	PACK HEXA 8-13 RED-L	1
Tool case	PLASTIC CASE	1

## Technical data

Length / Width / Height	53 / 19 / 40 cm
Weight	8895 g

## Ordering data

Type	Qty	Order No.
PRO TOPCASE INSTA	1	9204660000

Tool cases

Service Case Insta



Assembly

Description of article	Type	Qty
Sheathing stripper for up to 25mm outer diameter	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool for up to 6 mm <sup>2</sup>	STRIPAX	1
Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup>	PZ 6 Roto	1
Assortment of wire end ferrules, 0.5 - 2.5 mm <sup>2</sup> , in DIN colour code	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V/ 100 Hz LCD	DIGI-CHECK 3.2	1
Measuring tape	FLEXIMET 5 M	1
Junction box sheathing stripper with individual core stripping unit and longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Set of offset screwdrivers with ball head	SK WSD-S 1,5-10,0	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDIS 2,5-5,5/PH1/2	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Continuity tester with light	TESTBOY 20	1
ring spanner set	PACK HEXA 8-13 RED-L	1

Technical data

Length / Width / Height	48 / 24 / 46 cm
Weight	8895 g

Ordering data

Type	Qty	Order No.
SERVICE CASE INSTA	1	9205540000

**Crimp-Set PZ 4**



Crimp set for cutting, stripping and crimping of wire-end ferrules up to 4.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (4 pcs.)
- A7 insert (2 pcs.)
- Stripax® stripping tool for PVC-insulated conductors from 0.08...6.0 mm<sup>2</sup>
- PZ 4 crimping tool for wire-end ferrules from 0.5...4.0 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 0.5...H 4.0**

- Weidmüller colour code

**Crimp-Set PZ 3**



Crimp Set for cutting, stripping and crimping of wire-end ferrules up to 6.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (6 pcs.)
- A7 insert (1 pcs.)
- Stripax® stripping tool for PVC-insulated conductors from 0.08...6.0 mm<sup>2</sup>
- PZ 3 crimping tool for wire-end ferrules from 0.5...6.0 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 0.5...H 6.0**

- Other colour code

**Crimp-Set PZ 6 roto**



Crimp Set for cutting, stripping and crimping of wire-end ferrules up to 6.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (6 pcs.)
- A7 insert (1 pcs.)
- Stripax® stripping tool for PVC-insulated conductors from 0.08...6.0 mm<sup>2</sup>
- PZ 6 Roto crimping tool for wire-end ferrules from 0.14...6.0 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 0.5...H 6.0**

- Other colour code

**Assembly**

Type		Piece
PZ 4	Crimping tool	1
stripax®	Stripping tool	1
H0.5/14	Connector	500
H0.75/14	Connector	500
H1.0/14	Connector	1000
H1.5/14	Connector	1000
H2.5/14	Connector	250
H4,0/17	Connector	250

**Assembly**

Type		Piece
PZ 3	Crimping tool	1
stripax®	Stripping tool	1
H0.5/14	Connector	500
H0.75/14	Connector	500
H1.0/14	Connector	500
H1.5/14	Connector	500
H2,5/14	Connector	500
H4,0/17	Connector	250
H6,0/26	Connector	250

**Assembly**

Type		Piece
PZ 6 roto	Crimping tool	1
stripax®	Stripping tool	1
H0.5/14	Connector	500
H0.75/14	Connector	500
H1.0/14	Connector	500
H1.5/14	Connector	500
H2,5/14	Connector	500
H4,0/17	Connector	250
H6,0/20	Connector	250

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1780 g

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1743 g

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1760 g

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 4	9025800000
DIN	CRIMP-SET PZ 4 D	9028630000
Miscellaneous	CRIMP-SET PZ 4 T	9028640000

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 3	9028650000
DIN	CRIMP-SET PZ 3 D	9028660000
Miscellaneous	CRIMP-SET PZ 3 T	9028670000

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6 ROTO	9028680000
DIN	CRIMP-SET PZ 6 ROTO D	9028690000
Miscellaneous	CRIMP-SET PZ 6 ROTO T	9028700000

**Crimp sets and accessories**

**Crimp-Set PZ 6 HEX**



Crimp Set for cutting, stripping and crimping of wire-end ferrules up to 6.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (6 pcs.)
- A7 insert (1 pcs.)
- Stripax® stripping tool for PVC-insulated conductors from 0.08...6.0 mm<sup>2</sup>
- PZ 6 HEX crimping tool for wire-end ferrules from 0.14...6.0 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 0.5...H 6.0**

- Weidmüller colour code

**Crimp-Set PZ 6/5**



Crimp Set for cutting, stripping and crimping of wire-end ferrules up to 6.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (6 pcs.)
- A7 insert (1 pcs.)
- Stripax® stripping tool for PVC-insulated conductors from 0.08...6.0 mm<sup>2</sup>
- PZ 6/5 crimping tool for wire-end ferrules from 0.25...6.0 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 0.5...H 6.0**

- Weidmüller colour code

**Crimp-Set stripax plus**



Crimp set for cutting, stripping and crimping of reel-packaged wire-end ferrules up to 2.5 mm<sup>2</sup>, consisting of:

- PSC 01 assortment box, clear with foam insert
- Stripax® Plus combi-tool for processing Weidmüller linked wire-end ferrules on strip from 0.5...2.5 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 0.5...H 2.5**

- Other colour code

**H**

**Assembly**

Type		Piece
PZ 6 HEX	Crimping tool	1
stripax®	Stripping tool	1
H0.5/14	Connector	500
H0.75/14	Connector	500
H1.0/14	Connector	500
H1.5/14	Connector	500
H2.5/14	Connector	500
H4,0/17	Connector	250
H6.0/20	Connector	250

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1695 g

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6 HEX	<b>9028710000</b>
DIN	CRIMP-SET PZ 6 HEX D	<b>9028720000</b>
Miscellaneous	CRIMP-SET PZ 6 HEX T	<b>9028730000</b>

**Assembly**

Type		Piece
PZ 6/5	Crimping tool	1
stripax®	Stripping tool	1
H0.5/14	Connector	500
H0.75/14	Connector	500
H1.0/14	Connector	500
H1.5/14	Connector	500
H2.5/14	Connector	500
H4,0/17	Connector	250
H6.0/20	Connector	250

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1761 g

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6/5	<b>9028740000</b>
DIN	CRIMP-SET PZ 6/5 D	<b>9028750000</b>
Miscellaneous	CRIMP-SET PZ 6/5 T	<b>9028760000</b>

**Assembly**

Type		Piece
stripax® plus 2.5	Crimping tool	1
H0.5/14 BD	Connector	500
H0.75/14 BD	Connector	500
H1.0/14 BD	Connector	500
H1.5/14 BD	Connector	500
H2,5/14 BD	Connector	500

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1110 g

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET STRIPAX PLUS	<b>9028770000</b>
DIN	CRIMP-SET STRIPAX PLUS D	<b>9028780000</b>
Miscellaneous	CRIMP-SET STRIPAX PLUS T	<b>9028790000</b>



**Crimp-Set PZ 16**



Crimp Set for cutting, stripping and crimping of wire -end ferrules up to 16.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (4 pcs.)
- A7 insert (2 pcs.)
- Stripax® 16 stripping tool for PVC-insulated conductors from 6.0...16.0 mm<sup>2</sup>
- Crimping tool PZ 16 for wire-end ferrules from 6.0...16.0 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 6.0...H 16.0**

- Weidmüller colour code

**Crimp-Set PZ ZH 16**



Crimp set for cutting, stripping and crimping of twin wire-end ferrules up to 16.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A7 inserts (4 pieces)
- Stripax® 16 stripping tool for PVC-insulated conductors from 6.0...16.0 mm<sup>2</sup>
- PZ ZH 16 crimping tool for twin wire-end ferrules from 6.0...16.0 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 6.0...H 16.0**

- Weidmüller colour code

**Crimp-Set PZ 50**



Crimp-set for stripping and crimping of wire-end ferrules up to 50.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A7 inserts (4 pieces)
- Foam insert for tools
- AM 25 sheathing stripper for PVC round cable from 6.0...25.0 mm<sup>2</sup>
- PZ 50 crimping tool for wire-end ferrules of size 25, 35 and 50.0 mm<sup>2</sup>
- Wire end ferrules with plastic collar

**H 25.0...H 50.0**

- DIN colour code

**Assembly**

Type		Piece
PZ 16	Crimping tool	1
stripax®	Stripping tool	1
H6.0/20	Connector	200
H10.0/22	Connector	200
H16.0/24	Connector	100
H16.0/28	Connector	200

**Assembly**

Type		Piece
PZ ZH 16	Crimping tool	1
stripax®	Stripping tool	1
H6.0/25	Connector	100
H6.0/29	Connector	100
H10.0/26	Connector	100
H16.0/29	Connector	50

**Assembly**

Type		Piece
PZ 50	Crimping tool	1
AM25	Stripping tool	1
H25.0/30	Connector	50
H25.0/36	Connector	50
H35.0/30	Connector	50
H50.0/36	Connector	25

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1725 g

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1812 g

**Technical data**

Length / Width / Height	340 / 270 / 60 mm
Weight	1800 g

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 16	9025850000
DIN	CRIMP-SET PZ 16 D	9028800000
Miscellaneous	CRIMP-SET PZ 16 T	9028810000

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ ZH 16	9028820000
DIN	CRIMP-SET PZ ZH 16 D	9028830000
Miscellaneous	CRIMP-SET PZ ZH 16 T	9028840000

**Ordering data**

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 50	9028850000
DIN	CRIMP-SET PZ 50 D	9028870000
Miscellaneous	CRIMP-SET PZ 50 T	9028880000

## Crimp-Set CTI 6



## Assembly

Description of article	Type	Qty
Stripping tool for up to 6 mm <sup>2</sup>	STRIPAX	1
Crimping tool for insulated connectors, 0,5-6 mm <sup>2</sup>	CTI 6	1
Insulated ring-type cable lugs 1.5 mm <sup>2</sup> / M4	LIR 1.5M4 V	100
Insulated ring-type cable lugs 1.5 mm <sup>2</sup> / M5	LIR 1.5M5 V	100
Insulated ring-type cable lugs 2.5 mm <sup>2</sup> / M5	LIR 2.5M5 V	100
Insulated ring-type cable lugs 2.5 mm <sup>2</sup> / M6	LIR 2.5M6 V	100
Insulated ring-type cable lugs 6.0 mm <sup>2</sup> / M5	LIR 6M5 V	100
Insulated ring-type cable lugs 6.0 mm <sup>2</sup> / M6	LIR 6M6 V	100
Insulated pin-type cable lugs 1.5 mm <sup>2</sup> L=12 mm	LIP 1.5R12 V	100
Insulated pin-type cable lugs 2.5 mm <sup>2</sup> L=12 mm	LIP 2.5R12 V	100
Insulated pin-type cable lugs 6.0 mm <sup>2</sup> L=14 mm	LIP 6.0R14 V	100
Insulated butt connectors 1.5 mm <sup>2</sup> L=24.5 mm	LIB 1.5B25 VF	100
Insulated butt connectors 2.5 mm <sup>2</sup> L=24.5 mm	LIB 2.5B25 VF	100
Insulated butt connectors 6.0 mm <sup>2</sup> L=26.0 mm	LIB 6.0B26 VF	100
Insulated fork-type cable lugs 1.5 mm <sup>2</sup> / M4	LIS 1.5M4 V	100
Insulated fork-type cable lugs 2.0 mm <sup>2</sup> / M5	LIS 2.5M5 V	100
Insulated fork-type cable lugs 6.0 mm <sup>2</sup> / M6	LIS 6.0M6 V	100
Insulated flat blade receptacle 1.5 mm <sup>2</sup> / 2.8x0.8	LIF 1.5F288 R	100
Insulated flat blade receptacle 1.5 mm <sup>2</sup> / 6.3x0.8	LIF 1.5F638 R	100
Insulated flat blade receptacle 2.5 mm <sup>2</sup> / 6.3x0.8	LIF 2.5F638 R	100
Insulated flat blade receptacle 6.0 mm <sup>2</sup> / 6.3x0.8	LIF 6.0F638 R	100

## Technical data

Length / Width / Height	410 / 410 / 75 mm
Weight	5 kg

## Ordering data

Type	Qty	Order No.
Crimpsset CTI 6	1	9202600000

## Crimp-Set PZ / CTI



## Assembly

Description of article	Type	Qty
Stripping tool for up to 6 mm <sup>2</sup>	STRIPAX	1
Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup>	PZ 6 Roto	1
Crimping tool for insulated connectors, 0.5-6 mm <sup>2</sup>	CTI 6	1
Wire end ferrule with plastic collar, white	H0,5/14D W	500
Wire end ferrule with plastic collar, red	H1,0/14D R	500
Wire end ferrule with plastic collar, blue	H2,5/14D BL	500
Wire end ferrule with plastic collar, grey	H4,0/17D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Insulated ring-type cable lugs 1.5 mm <sup>2</sup> / M4	LIR 1.5M4 V	100
Insulated ring-type cable lugs 1.5 mm <sup>2</sup> / M5	LIR 1.5M5 V	100
Insulated ring-type cable lugs 2.5 mm <sup>2</sup> / M5	LIR 2.5M5 V	100
Insulated ring-type cable lugs 6.0 mm <sup>2</sup> / M6	LIR 6M6 V	100
Insulated pin-type cable lugs 1.5 mm <sup>2</sup> L=12 mm	LIP 1.5R12 V	100
Insulated pin-type cable lugs 2.5 mm <sup>2</sup> L=12 mm	LIP 2.5R12 V	100
Insulated pin-type cable lugs 6.0 mm <sup>2</sup> L=14 mm	LIP 6.0R14 V	100
Insulated butt connectors 1.5 mm <sup>2</sup> L=24.5 mm	LIB 1.5B25 VF	100
Insulated butt connectors 2.5 mm <sup>2</sup> L=24.5 mm	LIB 2.5B25 VF	100
Insulated butt connectors 6.0 mm <sup>2</sup> L=26.0 mm	LIB 6.0B26 VF	100
Insulated flat blade receptacle 1.5 mm <sup>2</sup> / 2.8x0.8	LIF 1.5F288 R	100
Insulated flat blade receptacle 1.5 mm <sup>2</sup> / 6.3x0.8	LIF 1.5F638 R	100
Insulated flat blade receptacle 2.5 mm <sup>2</sup> / 6.3x0.8	LIF 2.5F638 R	100
Insulated flat blade receptacle 6.0 mm <sup>2</sup> / 6.3x0.8	LIF 6.0F638 R	100

## Technical data

Length / Width / Height	410 / 410 / 70 mm
Weight	5 kg

## Ordering data

Type	Qty	Order No.
Crimpsset PZ / CTI	1	9202610000

## Crimp contact set



## Assembly

Description of article	Type	Qty
Wire end ferrule with plastic collar, white	H0,5/14D W	500
Wire end ferrule with plastic collar, grey	H0,75/14D GR	500
Wire end ferrule with plastic collar, red	H1,0/14D R	500
Wire end ferrule with plastic collar, black	H1,5/14D SW	500
Wire end ferrule with plastic collar, blue	H2,5/14D BL	500
Wire end ferrule with plastic collar, grey	H4,0/17D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Insulated ring-type cable lugs 1.5 mm <sup>2</sup> / M4	LIR 1.5M4 V	100
Insulated ring-type cable lugs 1.5 mm <sup>2</sup> / M5	LIR 1.5M5 V	100
Insulated ring-type cable lugs 2.5 mm <sup>2</sup> / M5	LIR 2.5M5 V	100
Insulated ring-type cable lugs 6.0 mm <sup>2</sup> / M6	LIR 6M6 V	100
Insulated pin-type cable lugs 1.5 mm <sup>2</sup> L=12 mm	LIP 1.5R12 V	100
Insulated pin-type cable lugs 2.5 mm <sup>2</sup> L=12 mm	LIP 2.5R12 V	100
Insulated pin-type cable lugs 6.0 mm <sup>2</sup> L=14 mm	LIP 6.0R14 V	100
Insulated butt connectors 1.5 mm <sup>2</sup> L=24.5 mm	LIB 1.5B25 VF	100
Insulated butt connectors 2.5 mm <sup>2</sup> L=24.5 mm	LIB 2.5B25 VF	100
Insulated butt connectors 6.0 mm <sup>2</sup> L=26.0 mm	LIB 6.0B26 VF	100
Insulated flat blade receptacle 1.5 mm <sup>2</sup> / 2.8x0.8	LIF 1.5F288 R	100
Insulated flat blade receptacle 1.5 mm <sup>2</sup> / 6.3x0.8	LIF 1.5F638 R	100
Insulated flat blade receptacle 2.5 mm <sup>2</sup> / 6.3x0.8	LIF 2.5F638 R	100
Insulated flat blade receptacle 6.0 mm <sup>2</sup> / 6.3x0.8	LIF 6.0F638 R	100

## Technical data

Length / Width / Height	320 / 400 / 55 mm
Weight	3635 g

## Ordering data

Type	Qty	Order No.
Crimp-Set contacts	1	9202640000

Crimp sets and accessories

Crimp-Set Combi Check 1.3



Crimp-Set Digi Check 5.2



Assembly

Description of article	Type	Qty
Voltage tester up to 690 V/ 100 Hz LED	COMBI CHECK 1.3	1
Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm²	PZ 6 Roto	1
Stripping tool for up to 6 mm²	STRIPAX	1
Wire end ferrule with plastic collar, white	H0,5/14D W	500
Wire end ferrule with plastic collar, grey	H0,75/14D GR	500
Wire end ferrule with plastic collar, red	H1,0/14D R	500
Wire end ferrule with plastic collar, black	H1,5/14D SW	500
Wire end ferrule with plastic collar, blue	H2,5/14D BL	500
Wire end ferrule with plastic collar, grey	H4,0/17D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Cable ties	CB 98/2.5 BLACK	100
Cable ties	CB 140/3.6 BLACK	100

Assembly

Description of article	Type	Qty
Voltage tester up to 690 V/ 2000 Hz LCD	DIGI-CHECK 5.2	1
Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm²	PZ 6 Roto	1
Stripping tool for up to 6 mm²	STRIPAX	1
Wire end ferrule with plastic collar, white	H0,5/14D W	500
Wire end ferrule with plastic collar, grey	H0,75/14D GR	500
Wire end ferrule with plastic collar, red	H1,0/14D R	500
Wire end ferrule with plastic collar, black	H1,5/14D SW	500
Wire end ferrule with plastic collar, blue	H2,5/14D BL	500
Wire end ferrule with plastic collar, grey	H4,0/17D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Cable ties	CB 98/2.5 BLACK	100
Cable ties	CB 140/3.6 BLACK	100

Technical data

Length / Width / Height	420 / 413 / 57 mm
Weight	2.5 kg

Technical data

Length / Width / Height	415 / 413 / 57 mm
Weight	2.6 kg

Ordering data

Type	Qty	Order No.
CRIMPSET COMBICHECK 1.3	1	9202580000

Ordering data

Type	Qty	Order No.
Crimpsset Digi Check 5.2	1	9202590000

**Assortment boxes and cases**

- Body of case made from unbreakable polypropylene
- portable and uncluttered storage in minimum space
- with two robust sliding catches
- boxes and cases for assortments can be stood upright and can be stacked without risk of slipping
- can be subdivided with special inserts

**PSC4-01 / PSC 80 / CARRYLITE 55**



**Assortment case, empty**



- U-section grid in cover and base hold the inserts in position and ensure sorted contents remain sorted
- Transparent polycarbonate cover
- **Excellent shock resistance!**
- With ergonomic carry handle

**PSC 5-01**

**Assortment box, empty**



**Technical data**

Product data	
Colour of body	
Colour of fittings	
Cover material	
Weight	
Dimensions	
Length	mm
Width	mm
Height	mm
Note	

ASSORTMENT CASE PSC4-01	CASE PSC80 PC	ASSORTMENT CASE CARRY LITE 55
Anthracite	Anthracite	Anthracite
orange	orange	orange
Polycarbonate	Polycarbonate	Polycarbonate
580	840	1000
261	241	330
338	338	413
57	79	57
Note		

ASSORTMENT CASE PSC5-01 PP	
Anthracite	
orange	
Polypropylene	
200	
195	
241	
56	
Note	

**Ordering data**

Version
Note

Type	Qty	Order No.
ASSORTMENT CASE PSC4-01	1	9028860000
CASE PSC80 PC	1	9202330000
ASSORTMENT CASE CARRY LITE 55	1	9202000000
Note		

Type	Qty	Order No.
ASSORTMENT CASE PSC5-01 PP	1	9202010000
Note		

Inserts

Inserts

Transparent, loose-packed compartment inserts for individual interior layouts

- Resistant to oils, acids and alkalis
- Made from unbreakable polypropylene

A7-1 / A9-1 / A9-2

Inserts for PSC4-01, PSC5-01, CARRYLITE 55



- Inserts for fitting vertically



A8-1 / A8-2

Inserts for PSC4-01, PSC5-01, CARRYLITE 55



- Inserts for fitting horizontally

H



Technical data

Product data	
Colour of body	
Colour of fittings	
Cover material	
Weight	
Dimensions	
Length	mm
Width	mm
Height	mm
Note	

INSERT A7-1 CL55	INSERT A9-1 CL55	INSERT A9-2 CL55
natural	natural	natural
32	12	20

INSERT A8-1 CL55	INSERT A8-2 CL55
natural	natural
17	40

Ordering data

Version
Note

Type	Qty	Order No.
INSERT A7-1 CL55	1	9028450000
INSERT A9-1 CL55	1	9202020000
INSERT A9-2 CL55	1	9203260000

Type	Qty	Order No.
INSERT A8-1 CL55	1	9028460000
INSERT A8-2 CL55	1	9028420000

**Inserts**

Transparent, loose-packed compartment inserts for individual interior layouts

- Resistant to oils, acids and alkalis
- Made from unbreakable polypropylene

**BA7-1 / BA8-1**

**Inserts for PSC80**




**BA8-1**

- Divider for fitting horizontally

**BA7-1**

- Divider for fitting vertically



**Technical data**

Product data	
Colour of body	
Colour of fittings	
Cover material	
Weight	
Dimensions	
Length	mm
Width	mm
Height	mm
Note	

INSERT BA7-PSC 80	INSERT BA8-PSC 80
natural	natural
40	25
109	55
79	79
79	79
Note	

**Ordering data**

Version
Note

Type	Qty	Order No.
INSERT BA7-PSC 80	1	9202320000
INSERT BA8-PSC 80	1	9202310000
Note		

